

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A stabilizing catheter for protein drug delivery to a user, the stabilizing catheter comprising:
 - a tubing including at least one layer, wherein the at least one layer includes one or more materials that reduce diffusion of small molecules through the tubing, such that when the tubing is used for protein drug delivery, the protein drug formulation is maintained as compared with the protein drug formulation delivered via a different tubing including one or more materials that are free of an effect that reduces diffusion of small molecules through the tubing; and
wherein the one or more materials of the at least one layer includes materials selected from at least polytetrafluoroethane, saran (PVOC), polysulfone, hydrophilic glass, derivatives of these materials, and mixtures of these materials.
2. (Original) The stabilizing catheter of claim 1, wherein an insulin formulation is maintained in the tubing to substantially prevent occlusions or deposits from being formed during insulin delivery.
3. (Original) The stabilizing catheter of claim 1, wherein an insulin formulation is stabilized by being substantially free of deposits or occlusions comprising insulin and an excipient.
4. (Original) The stabilizing catheter of claim 2, wherein the insulin is a high concentration formulation.
5. (Original) The stabilizing catheter of claim 4, wherein the high concentration formulation is greater than about 100U/ml.
6. (Cancelled).

7. (Original) The stabilizing catheter of claim 6, wherein the glass includes glass fibers.

8. (Cancelled).

9. (Currently Amended) The stabilizing catheter of claim 91, wherein the tubing includes at least two layers.

10. (Original) The stabilizing catheter of claim 9, wherein one layer includes materials selected from at least polytetrafluoroethane, saran (PVOC), polysulfide, glass, metal, derivatives of these materials, and mixtures of these materials.

11. (Original) The stabilizing catheter of claim 9, wherein one layer includes silicone, polyurethane, derivatives of these materials or mixtures of these materials.

12. (Original) The stabilizing catheter of claim 12, wherein the layer including silicone, polyurethane, derivatives of these materials or mixtures of these materials is the outer layer of the tubing.

13. (Original) The stabilizing catheter of claim 9, comprising an innermost layer that is formed from one or more hydrophilic protein compatible materials.

14. (Original) The stabilizing catheter of claim 13, wherein the hydrophilic protein compatible materials are selected from at least a polyethylene glycol, a polyurethane, a Genapol, a Tween, a Triton-X and a Brij, derivatives of these materials and mixtures of these materials.

15. (Currently Amended) The stabilizing catheter of claim 9, comprising three layers, including an outer layer including a silicone material and a layer including materials selected from at least polytetrafluoroethane, saran (PVOC), polysulfone, glass, metal, derivatives of these materials, and mixtures of these materials, and an innermost layer that includes one or more hydrophilic insulin compatible materials.

16. (Original) The stabilizing catheter of claim 1, wherein the small molecules have a molecular weight of about 18 g/mole to about 500 g/mole.

17. (Original) The stabilizing catheter of claim 1, wherein the small molecules include neutral molecules, charged molecules, or mixtures of these molecules.

18. (Original) The stabilizing catheter of claim 17, wherein the charged molecules include metal ions.

19. (Original) The stabilizing catheter of claim 17, wherein the neutral molecules include at least phenol, phenolic derivatives, carbon dioxide, or mixtures of these molecules.

20. (Original) The stabilizing catheter of claim 19, wherein the stabilizing catheter reduces a diffusional flow of carbon dioxide into the tubing up to about 1000 fold as compared to the diffusional flow of carbon dioxide into a different tubing that is free of a stabilizing layer.

21. (Original) The stabilizing catheter of claim 20, wherein the stabilizing catheter reduces a diffusional flow of carbon dioxide into the tubing about 10-100 fold.

22. (Original) The stabilizing catheter of claim 19, wherein the stabilizing catheter reduces a diffusional flow of phenol, phenolic derivatives, or both, out from the tubing up to about 100 fold as compared to the diffusional flow of phenol, phenolic derivatives, or both, out from a different tubing that is free of a stabilizing layer.

23. (Original) The stabilizing catheter of claim 22, wherein the stabilizing catheter reduces a diffusional flow of carbon dioxide into the tubing about 2-20 fold.

24. (Original) The stabilizing catheter of claim 19, wherein the stabilizing catheter provides a diffusional barrier to phenol and phenolic derivatives such that the loss of phenol and phenolic derivatives through the tubing is less than about 5%, +/- 1%, at an protein drug infusion rate of about 20 U/day.

25. (Original) The stabilizing catheter of claim 6, where the layer of Teflon and/or saran is about 0.002 in to about 0.02 in (about 50 to about 500 microns).

26. (Original) The stabilizing catheter of claim 1, wherein the protein drug is an insulin analogue.

27. (Original) The stabilizing catheter of claim 26, wherein the insulin analogue is LISPRO.

28. – 67. (Cancelled).

68. (Currently Amended) A stabilizing catheter for protein drug delivery to a user, the stabilizing catheter comprising:

a tubing including at least one layer, wherein the at least one layer includes a stabilizing means one or more materials that reduces the diffusion of small molecules through the stabilizing means tubing, such that when the stabilizing means is used to deliver insulin for protein drug delivery, the protein drug formulation is stabilized as compared with the protein drug formulation delivered via a different tubing that includes one or more materials that are free of the effect that reduces diffusion of small molecules through the tubing, and a hydrophilic coating on an innermost surface of the tubing formed from one or more hydrophilic protein compatible materials.

69. (Original) The method of claim 68, wherein the stabilized protein drug is maintained in the tubing to substantially prevent occlusions or deposits from being formed during delivery.

70. – 86. (Cancelled).

87. (New) The stabilizing catheter of claim 68, wherein the hydrophilic coating comprises materials applied to the innermost surface of the tubing through a surface treatment.

88. (New) The stabilizing catheter of claim 68, wherein the hydrophilic coating composes materials applied onto the innermost surface of the tubing after the formation of the at least one layer.

89. (New) The stabilizing catheter of claim 68, wherein the hydrophilic coating has a thickness less than that of the first layer.

90. (New) The stabilizing catheter of claim 68, wherein the hydrophilic protein compatible material is a polymer containing a PEG moiety.

91. (New). The stabilizing catheter of claim 68, wherein the hydrophilic protein compatible materials are selected from at least a polyethylene glycol, a Genapol, a Tween, a Triton-X, and a Brij, derivatives of these materials and mixtures of these materials.

92. (New) The stabilizing catheter of claim 1, further comprising a hydrophilic coating coated onto an innermost surface of the tubing formed from one or more hydrophilic protein compatible materials.

93. (New) The stabilizing catheter of claim 92, wherein the hydrophilic coating comprises materials applied to the innermost surface of the tubing through a surface treatment.

94. (New) The stabilizing catheter of claim 92, wherein the hydrophilic coating is applied onto the innermost surface of the tubing after the formation of the at least one layer.

95. (New) The stabilizing catheter of claim 92, wherein the hydrophilic coating has a thickness less than that of the first layer.

96. (New) The stabilizing catheter of claim 68, wherein the hydrophilic protein compatible material is a polymer containing a PEG moiety.

97. (New) The stabilizing catheter of claim 92, wherein the hydrophilic protein compatible materials are selected from at least a polyethylene glycol, a Genapol, a Tween, a Triton-X, and a Brij, derivatives of these materials and mixtures of these materials.